Quick Link (QL & QLM) connectivity accessories provides an easy, fast, modular and cost-effective solution whenever 'plug-in connection" is preferable.

QL Series is compatible with DS2100N, DS2400N, DS4800, Matrix 210™, Matrix 410™ and Matrix 450™.

QL300/500 and QLM500/600/700 link 1D/2D code readers to the Power Supply, External Trigger, IDNET™ network, Digital I/O and Communication connections including interface to Serial, Ethernet, Ethernet/IP, Profibus and Profinet.

QL100/150/200 provides an ID-NET™ 'T" connector. This is the most effective way to build the ID-NET™ network by passing through power and network's signals. Service port connection (QL150) and tap power connection (QL200) are optionally available.



HIGHLIGHTS

- Plug-In connection
- QL500: Serial-to-Ethernet TCP/IP, Ethernet IP, Modbus conversion with RI45 connector
- QLM500: IP65, rugged metal, all M12 connectors, double Ethernet port (avoid external switches), Ethernet TCP/IP, Ethernet IP protocol
- QLM600: IP65, rugged metal, all M12 connectors, PROFIBUS double port
- QLM700: IP65, rugged metal, all M12 connectors, double PROFINET port (avoiding external switches)
- Back-up and Restore function (QLM500/600/700 and QL500)
- Quick set-up of ID-NET™ networks with different layouts in modular way, reducing installation time and cost (by cables and T-connectors)

APPLICATIONS

- Automated warehousing
 - Conveyor sorting
- Picking systems
- Automated shop floor and General Manufacturing
- Items and parts tracking
- Process control and Packaging







MODELS AND ACCESSORIES

| MODELS | QUICK LINK CONNECTION MODULES |
|------------------------|--|
| ORDER NO. | DESCRIPTION |
| 93ACC1860 | QL100 ID-NET T-CONNECTION |
| 93ACC1868 | QL150 ID-NET+SERVICE T-CONNECTION |
| 93ACC1861 | QL200 ID-NET+ POWER T-CONNECTION |
| 93ACC1862 | QL300 STANDARD CONNECTION MODULE |
| 93ACC1864 | QL500 CONNECTION MODULE + ETHERNET |
| 93ACC0033 | QLM600 PROFIBUS IP65 CONN. MODULE |
| 93ACC0037 | QLM500 ETHERNET/IP IP65 CONN. MODULE |
| 93ACC0038 | QLM700 PROFINET IP65 CONN. MODULE |
| MODELS | ID-NET AND T-CONNECTOR |
| ORDER NO. | DESCRIPTION |
| 93ACC1860 | OL100 ID-NET T-CONNECTION |
| 93ACC1868 | QL150 ID-NET+SERVICE T-CONNECTION |
| 93ACC1861 | QL200 ID-NET+POWER T-CONNECTION |
| | |
| ACCESSORIES | QUICK LINK ACCESSORIES |
| Service Cables | |
| ORDER NO. | DESCRIPTION CAR ALLIVOR MAR OF TO PERCASSINAL CARL SOLATED |
| 93A051385 | CAB-AUX03 M12 3P TO DB9 SERIAL CABLE 3M (for QL150) |
| 93A051381 | CAB-PW-EXT M12 POWER EXTENSION CABLE |
| 93ACC1883 | FMC300 M12 3P M. CONN. SERVICE (for QL150) |
| 93ACC1884 | FMC400 M12 3P F. CONN. POWER |
| 93A051386 | CAB-AUXO4 15P DSUB TO DB9 SERIAL CABLE |
| 93A050045 | CBL-1487 CONNECTOR M12/5P/FEMALE IDNET |
| 93ACC0040 | FMC600 M12 8P M. A-Code QLM-I/O |
| ID-NET cables | DESCRIPTION |
| ORDER NO. 970101021 | CBL-1480-01 THIN M12/5P MALE/FEMALE 1M |
| | |
| 970101022 | CBL 1480-02 THIN M12/5P MALE/FEMALE 2M |
| 970101069 970101082 | CBL-1490 TERM. RESIST. THIN M12/5P/MALE CBL-1496 TERM. RESIST. THIN M12/5P/FEM. |
| | L BI - 1496 LERIVERENTE RESISTE LEINE IVIT / SP/EEVI |

QL SERIES TECHNICAL FEATURES

QL100, QL150, QL200


ELECTRICAL FEATURES

Power Supply 10 to 30 VDC Limited QL + Reader Current consumption 4 A Max.

ENVIRONMENTAL FEATURES

Protection Class IP65*
Operating Temperature 0° to 50 °C (+32° to 122 °F)
Storage Temperature -20° to 70 °C (-4° to 158 °F)
Humidity Max. 90% non condensing

*When IP protection caps or IP cables and reading device are correctly connected.



QL300, QL500, QLM500, QLM600, QLM700

ELECTRICAL FEATURES

Power Supply 10 to 30 VDC Limited QL + Reader Current consumption 4 A Max.

ENVIRONMENTAL FEATURES

Protection Class IP65* Operating Temperature 0° to 50 °C (+32° to 122 °F) Storage Temperature -20° to 70 °C (-4° to 158 °F) Humidity Max. 90% non condensing

PHYSICAL FEATURES QL300/500

Mechanical Dimensions 129 x 76 x 27 mm (5.1 x 3 x 1.1 in.) Weight QL300=312 g. (11 oz.); QL500=309 (10.9 oz.)

QLM500/600/700

Mechanical Dimensions 200 x 81 x 40 mm (7.9 x 3.2 x 1.6in.) Weight QLM=500 g. (18 oz.)

*When IP protection caps or IP cables and reading device are correctly connected.

Rev. 01, 06/2013













Legacy Technology Services

Talk to an expert, call

866-271-9891

www.LegacyGlobal.com

About us

- Legacy Technology Services is a leading nationwide provider of mobile computing, barcode, printers and point of sale equipment and services.
- For over a decade, thousands of clients across North America have trusted us to provide equipment from leading manufacturers backed by the services to support them.

Latest Hardware from top manufacturers

 Legacy handles virtually every major manufacturer of mobile computing, barcoding and point of sale equipment.

Expert Repair and Maintenance services

 Legacy is one of the largest repair facilities in North America and is an Authorized Repair Center for many manufacturers.

Discontinued product sourcing

 They don't make it anymore? Our inventory also includes manufacturer close-outs and discontinued equipment to support our clients legacy infrastructure.

Trade-in and Disposal services

- That old equipment laying around your facility may still have some value. Legacy routinely purchases equipment from our clients around the globe.
 - Data destruction
 - Hardware disposal
 - Auditing services

Dedicated client account team

 Dedicated, highly trained account managers are here to answer all your questions and provide top notch service.

Equipment rental services

 Sometimes renting is a better solution, Legacy's huge rental inventory provides the equipment you need for temporary needs and projects.















Legacy, Inc., 56 Chancellor Drive, Roselle, IL 60172 630-622-2001

Toll Free: 866-271-9891

Fax: 630-622-2044

Some brands and partners













