


Magnetic Float Level Sensor


1A
CV

Item	QTY	Unit	Specification
4-3	1	PCs	Magnetic Float Level Sensor Model No : FR21VS-3P Manufacture:NOHKEN INC Flange Size : ANSI 4" ,150RF Max Contact Capacity : 15VA Float material : PVC Stem material: PVC Flange material : PVC <u>Terminal blocks and wiring</u> (I1) from A to B:- 335mm (I2) from C to D:- 535mm (I3) from E to F:-1405mm Tag Name:-LS-251C (CL) please see attached data sheet




Magnetic Float Level Sensor

5
✓



Item	QTY	Unit	Specification
4- 4	1	PCs	Magnetic Float Level Sensor Model No : FR21S-3P Manufacture:NOHKEN INC Flange Size : ANSI 4" ,150RF Max Contact Capacity : 15VA Float material :316 St.St Stem material :304 St.St Flange material :304 St.St <u>Terminal blocks and wiring</u> (I1) from A to B:- 415mm (I2) from C to D:- 615mm (I3) from E to F:-1140mm Tag Name:-LS-252C (CL) please see attached data sheet



Max. Contact Capacity : 15VA AC 15W DC
Max. Working Current : 1A AC 1A DC
Max. Working Voltage : 264V AC 200V DC

Tag No.	LS-252C		
L	1300		
l1	485	415	
l2	685	615	
l3	1210	1140	
Qty.	1		

Note

- Terminal Box : Silver hammer tone coating
- Lead wire : Normal length + 200mm

Item 4.4

6	Socket	1	Brass(C36048D, Nickel plating)
5	Flat travel stop	6	316 Stainless steel
4	Float	3	316 Stainless steel
3	Stem	1	304 Stainless steel
2	Flange	1	304 Stainless steel
1	Terminal box	1	Aluminium die casting
P.No.	Name	Qty.	Material

T. Shina