

Rear mounting

2-screw fixing: 28mm (1.10") Vertical



PL1



PL2

ON-OFF switch 1 pole

 0001	Circuit diagram	Size	I _e	Part no.	Pack	Part no.	Pack
		S1	12A	CA0120001PL1	1	CA0120001PL2	1
			16A			CA0160001PL2	1
			20A			CA0200001PL2	1
			25A			CA0260001PL2	1
		S2	25A			CA0250001PL2	1
			32A				
			40A				
			50A				


ON-OFF switch 2 pole

 0002	Circuit diagram	Size	I _e	Part no.	Pack	Part no.	Pack
		S1	12A	CA0120002PL1	1	CA0120002PL2	1
			16A	CA0160002PL1	1	CA0160002PL2	1
			20A	CA0200002PL1	1	CA0200002PL2	1
			25A			CA0260002PL2	1
		S2	25A			CA0250002PL2	1
			32A			CA0320002PL2	1
			40A			CA0400002PL2	1
			50A			CA0510002PL2	1

ON-OFF switch 3 pole

 0003	Circuit diagram	Size	I _e	Part no.	Pack	Part no.	Pack
		S1	12A	CA0120003PL1	1	CA0120003PL2	1
			16A	CA0160003PL1	1	CA0160003PL2	1
			20A	CA0200003PL1	1	CA0200003PL2	1
			25A			CA0260003PL2	1
		S2	25A	CA0250003PL1	1	CA0250003PL2	1
			32A			CA0320003PL2	1
			40A			CA0400003PL2	1
			50A			CA0510003PL2	1



ON-OFF switch 4 pole

 0004	Circuit diagram	Size	I _e	Part no.	Pack	Part no.	Pack
		S1	12A	CA0120004PL1	1	CA0120004PL2	1
			16A	CA0160004PL1	1	CA0160004PL2	1
			20A			CA0200004PL2	1
			25A			CA0260004PL2	1
		S2	25A			CA0250004PL2	1
			32A			CA0320004PL2	1
			40A			CA0400004PL2	1
			50A			CA0510004PL2	1

 standard article

■ Rear mounting - PL Handle

Measures in mm (in)




Series	X	Y	D		no. of stages					
					1	2	3	4	5	6
CA 012-016-020-026	45 (1,77")	ø 46,5 ø (1,83")	12,2 (0,48")	L	36,7 (1,44")	49 (1,93")	61,1 (2,41")	73,3 (2,89")	85,5 (3,37")	97,7 (3,85")
Ca 025-032-040-051	-	ø 58,5 ø (2,30")	16,2 (0,64")	L	42,8 (1,69")	59 (2,32")	75 (2,95")	91,5 (3,60")	108 (4,25")	124 (4,88")

Handle	B
PL1	30 (1,18")
PL2	32 (1,26")

■ Drilling templates - Rear mounting

(RT - RL - RK - PL1 - PL2) - Measures in mm (in)






■ Drilling templates - Base mounting

(BL6 - BK6) - Measures in mm (in)

Escutcheon plate mounting options:

1) 2 holes with vertical distance 28mm (1.10")

2) 2 holes with horizontal distance 32mm (1.26")



Switch mounting options:

1) 4 holes with distance 58x18mm (2.28x0.71")